

TABLE OF CONTENTS

PREFACE	iii
HIGH PURITY SILICON FABRICATION TECHNIQUES	
Advanced Silicon Wafers for 0.18 μm Design Rule and Beyond: Epi and fFLASH!*	3
R. Schmolke, M. Blietz, R. Schauer, D. Zemke, H. Oelkrug, W. v. Ammon, U. Lambert and D. Gräf	
The Time Dependence of Point Defect Behavior near the Growth Interface in Cz-Si	19
B.M. Park and I.S. Choi	
Effect of Shape of Crystal-Melt Interface on Point Defect Reaction in Silicon Crystals	31
K. Nakamura, S. Maeda, S. Togawa, T. Saishoji and J. Tomioka	
High Pull Speed for Fast Pulled Crystal in Cz Growth	44
H.J. Oh, J.H. Wang, K.-M. Kim and H.-D. Yoo	
Micro-Fluctuation of Growth-Rate and Grown-in Defect Distribution in Cz-Si	54
M. Hasabe, J. Fukuda, T. Iwasaki, H. Harada and M. Tanaka	
Direct Proof of Argon Atoms Incorporated Into High-Purity Silicon Single Crystals During Growth in Argon Gas Ambient	66
A.G. Ulyashin, R. Job, W.R. Fahrner, A.V. Mudryi, A.I. Patuk and I.A. Shakin	
Nucleation of Void Defects in Cz Silicon	77
Y. Yamanaka, K.Tanahashi, T. Mikayama, N. Inoue and A. Mori	
The Formation Mechanism of Coupled Voids in Czochralski Silicon	86
F. Ishikawa, S. Sadohara, T. Saishoji, K. Nakamura, and J. Tomioka	

* Invited Paper

Valence Force Field Analysis of Nitrogen in Silicon H. Harada, K. Tanahashi, A. Koukitsu, T. Mikayama and N. Inoue	97
---	----

INTRINSIC AND IN PURITY RELATED DEFECTS

Silicon Float Zone Crystal Growth as a Tool for the Study of Defects and Impurities* T.F. Ciszek and T.H. Wang	105
Transient Simulation of Grown-in Defect Dynamics in Czochralski Crystal Growth of Silicon T. Mori, Z. Wang and R.A. Brown	118
Detection of Oxygen-Related Defects in Silicon Wafers by Highly Selective Reactive Ion Etching K. Nakashima, Y. Watanabe, T. Yoshida and Y. Mitsushima	129
Misfit Dislocation Nucleation Study in P/P ⁺ Si P. Feichtinger, M.S. Goorsky, D. Oster, T. D'Silva and J. Moreland	136
Screening of Dislocations in Silicon by Point Defects I.V. Peidous and K.V. Loiko	145
Vacancy-Nitrogen Complexes in Float-Zone Silicon F. Quast, P. Pichler, H. Ryssel and R. Falster	156
Oxygen Precipitation Behavior and its Optimum Condition for Internal Gettering and Mechanical Strength in Epitaxial and Polished Silicon Wafers * K. Sueoka, M. Akatsuka, T. Onno, E. Asayama, Y. Koike, N. Adachi S. Sadamitsu and H. Katahama	164
Threshold Stresses of Dislocation Generation Onset in Silicon I.V. Peidous, K.V. Loiko, N. Balasubramanian and T. Schuelke	180
Aggressive Monitoring of OSFs Using High Temperature Oxidation K.-M. Bae, J.-R. Kim, D.-M. Lee, S.-S. Kim, C.-G. Koh and S.-H. Pyi	189

*Invited paper

Formation and Annihilation of Epitaxial Stacking Faults Generated from Pre-Existing Nucleation Sites in Silicon	201
C.R. Cho, K.Y. Noh, D.H. Lee, Y.S. Kim, S.W. Ko, C.W. Kim, D.H. Kim, C.B. Son, S.J. Kim, D.H. Cho, J.J. Choi, D.J. Kim, K.M. Bae and G.A. Rozgonyi	
Bulk and Surface Properties of Cz Silicon After Hydrogen Plasma Treatments	209
R. Job, A.G. Ulyashin, W.R. Fahrner, V.P. Markevich, L.I. Murin, J.L. Lindström, V. Raiko and J. Engemann	

METALLIC IMPURITIES IN SILICON

Tin Doping Effects in Silicon*	223
E. Simoen, C. Claeys, V.B. Neimash, A. Kraitchinskii, M. Kras'ko, O. Puzenko, A. Blondeel and P. Clauws	
In-Situ Measurement of Iron in P-type Silicon with the μ W-PCD Technique	236
M. Porrini and P. Tessariol	
Radial Distributions of Transition Metal Defects in Float Zone Silicon Crystals	244
H. Lemke, W. Zulehner and B. Hallmann	
Progress in Understanding the Physics of Copper in Silicon*	258
A.A. Istratov, C. Flink, S. Baluasubramanian, E.R. Weber, H. Hieslmair, S.A. McHugo, H. Hedemann, M. Seibt and W. Schröter	
Effect of Cobalt and Copper Contamination on the Electrical Properties of Processed Silicon	278
J. Benton, T. Boone, D. Jacobson, P. Silverman, C. Rafferty, S. Weinzierl and B. Vu	
Copper Stable Isotope Spike Method as A Tool for Low Temperature Out-Diffusion of Copper in P-Type Silicon	287
B.-J. Maeng, H.-S. Oh and Y.-K. Hong	

*Invited paper

Effect of Aluminum on Oxide Growth and Oxide Charges in Silicon Wafers	296
--	-----

H. Shimizu, M. Ikeda, C. Munakata and N. Nagashima

GETTERING STUDIES

Impact of Annealing Temperature and Cooling Rate on the Gettering of Fe by Polysilicon Backside*	305
--	-----

M.B. Shabani, Y. Shiina and Y. Shimanuki

300 mm Epi PP Wafer: Is There Sufficient Gettering?	319
---	-----

D. Gräff, U. Lambert, R. Schmolke, R. Wahlich, W. Siebert, E. Daub and W.v. Ammon

Influence of LSTD Size on the Formation of Denuded Zone in Hydrogen Annealed Cz Silicon Wafers	331
--	-----

R. Takeda, T. Minami, H. Saito, Y. Hirano, H. Fujimori, K. Kashima and Y. Matsushita

Integrated Gettering of Metallic Contaminants by Nanocavities in FZ Silicon Wafers	341
--	-----

I. Périchaud, E. Yakimov and S. Martinuzzi

On the Effect of the Precipitation on DRAM Device Yield	348
---	-----

R. Winkler

Intrinsic Gettering in Nitrogen Doped Czochralski Crystal Silicon	357
---	-----

D. Yang, R. Fan, Y. Shen, D. Tian, L. Li and D. Que

DEVICE PERFORMANCE

Trends in Lifetime Measurements*	365
----------------------------------	-----

D.K. Schroder

Epitaxial Layer Lifetime Characterization in the Frequency Domain	383
---	-----

J.E. Park, D.K. Schroder, S.E. Tan, B.D. Choi, M. Fletcher, A. Buczkowski and F. Kirscht

*Invited paper

Minority Carrier Lifetime and Impurity Level Scan Map in Silicon O. Palais, E. Yakimov, J.J. Simon and S. Martinuzzi	396
Lifetime and Leakage Current Studies in Shallow P-N Junctions Fabricated in a Deep High-Energy Boron Implanted P-Well A. Poyai, E. Simoen, C. Claeys, R. Rooyackers, G. Badenes and E. Gaubas	403
Carrier Lifetime Control and Characterization of High-Resistivity Silicon Used for High-Power Devices H.-J. Schulze, A. Frohnmeier, F.-J. Niedernostheide, F. Hille, P. Tütto, T. Pavelka and G. Wachutka	414
Two Dimensional Leakage Current Distribution of Ultrathin Oxide on Stepped Si Surface M. Murata, N. Tokuda, D. Hojo and K. Yamabe	425
The Gate oxide Quality of Annealed Cz Silicon Wafers and Its Influence on 4M DRAM Device Yield and Reliability R. Winkler	434
Investigation of GOI Test Methods on Silicon Surface Defect Failure Mechanisms F. González, M. Hider, R. Barbourm, J. Hull and S. Kitagawa	441
Gate oxide Integrity Response as a Function of Near the Surface Crystal Defects Morphology G. Borionetti, P. Godio, F. Bonoli, M. Cornara, R. Orizio and R. Falster	456
Impacting Device Performance and Yield Through Sacrificial Oxidation Improvements S. Ambadi, D. Hannoun, K. Kamekona, J. Pearse and G. Chang	467
On the Influence of the Interstitial Oxygen on DRAM Device Yield and Reliability R. Winkler	475
A Process Simulation Model for the Effects Due to Nitridation of Oxides Y.-S. Oh and D.E. Ward	483

*Invited paper

DEVICE APPLICATIONS

High Resistivity Cz Silicon for RF Applications Substituting GaAs*	491
T. Abe and W. Qu	
Surface and Bulk Properties of Oxygenated FZ Silicon Wafers for Particle Detector Applications	501
P. Bellutti, M. Boscardin, G.-F. Dalla Betta, L. Ferrario, P. Gregori and N. Zorzi	
Intrinsic Defects in FZ Silicon and Their Impact on X-Ray PIN Sensor Parameters	509
H. Rieman, A. Lüdge and K. Schwerd	
SOI Wafer Fabrication by Atomic Layer Cleaving	516
M.I. Current, I.J. Malik, S.W. Bedell, S.N. Farrens, H. Kirk, M. Korolik, S. Kang, M. Fuerfanger and F.J. Henley	
Effect of Material Properties on Stress-Induced Defect Generation in Trench SOI	524
W.A. Nevin, K. Somasundram, S. Blackstone, S. Magee and A.T. Paxton	
A New Substrate Engineering Technique to Realize Silicon on Nothing (SON) Structure Utilizing Transformation of Sub-micron Trenches to Empty Space in Silicon (ESS) by Surface Migration*	532
Y. Tsunashima, T. Sato and I. Mizushima	

NOVEL AND IMPROVED CHARACTERIZATION TECHNIQUES

Silicon Defect characterization by High Resolution Laplace Deep Level Transient Spectroscopy*	549
A.R. Peaker, L. Dobaczewski, O. Andersen, L. Rubaldo, I.D. Hawkins, K. Bonde Nielsen and J.H. Evans-Freeman	

*Invited paper

Surface-Separated Collection of Ionic Species for Ion-Chromatography Analysis on Silicon Wafers K. Yanagi, H. Shibata, K. Nagai and M. Watanabe	561
Photomagnetic Detection of Doping Inhomogeneities in Silicon Crystals Using SQUID Magnetometers A. Lüdge, H. Riemann, J. Beyer and Th. Schurig	573
The Measurement of Nitrogen in Silicon Substrates by SIMS R.S. Hockett and D.B. Sams	584
Laser Spectroscopy Methods for Nondestructive Analysis of Polycrystalline Silicon Thin Films and Silicon Surfaces D. Milovzorov and N. Chigarev	596
Impact of the Purity of Silicon on the Evolution of Ion Beam Generated Defects: From Research to Technology* V. Privitera	606
Microscopic Characterization of Electrochemical Properties of Silicon Wafer Surfaces* T. Homma, J. Tsukano, T. Osaka, M. Watanabe and K. Nagai	621
Use of Diode Diagnostics for Silicon Wafer Quality Characterization: Effect of COP on PN Junction Leakage* H. Kubota, H. Nagano, J. Sugamoto, H. Matsushita, M. Momose, S. Nitta, S. Samata and N. Tsuchiya	634
Crystal Defect Information Obtained by Multiple Wafer Recleaning L. Mule'Stagno, S. Keltner, R. Yalamanchili, M. Kulkarni, J. Libbert and M. Banan	646
Resonance Ultrasonic Diagnostics of As-Grown and Process-Induced Defects in Cz Silicon A. Belyaev, I. Tarasov, S. Ostapenko, S. Koveshnikov, V.A. Kochelap and A.E. Belyaev	660
Deposition Mechanism of Trace Metals on Silicon Wafer Surfaces in Ultra Pure Water T. Homma, J. Tsukano, T. Osaka, M. Watanabe and K. Nagai	670

*Invited paper

A Study of "twin" <100> Square Hillock Silicon Crystalline Defects on 677
Silicon Substrate in Wafer Fabrication Using 155 Wright Etch
H. Younan

Authors Index	683
Subject Index	687