

TABLE OF CONTENTS

PREFACE

| | |
|---|-----|
| SOI | 1 |
| Determination of the Silicon Film Doping Concentration and the Back Interface Oxide Charge Density using SOI-NMOS Gate Capacitor V. Sonnenberg and J.A. Martino | 2 |
| The Leakage Current Composition in Thin Film SOI NMOSFETS at High Temperatures M. Bellodi and J.A. Martino | 12 |
| Analog Performance of Graded-Channel SOI NMOSFETS at Low Temperatures M.A. Pavanello, J.A. Martino and D. Flandre | 20 |
| The Influence of the Interface Trap Densities on the Extraction of the Silicon Film and Front Oxide Thickness of SOI NMOS Devices at Low Temperatures A.S. Nicolett, J.A. Martino, E. Simoen and C. Claeys | 28 |
| A Physically-Based Continuous Model for Graded-Channel SOI MOSFET M.A. Pavanello, B. Iñíguez, J.A. Martino and D. Flandre | 35 |
| A Simple Analytical Model of Graded-Channel SOI nMOSFET Transconductance S.P. Gimenez, M.A. Pavanello and J.A. Martino | 45 |
| SIMULATION | 55 |
| Simulation of the DC Conductance of Ballistic Quantum Devices E.J.P. Santos | 56 |
| Two-Dimensional Simulation of AlGaAs/InGaAs/GaAs PHEMTs P.C.M. Machado | 63 |
| Etching Simulator for Bulk Micromachining in Java Platform F. Martinazzo, A. Konzen, J.D. Togni, A.I. Reis and R.P. Ribas | 72 |
| Simulation of the Mechanical-Stress Effect in Bipolar Junction Transistors F. Fruett | 81 |
| THIN FILMS | 91 |
| High Density-PECVD Silicon Oxide Deposition by TEOS and Oxygen at Low Temperature (375 ⁰ C) C.E. Viana, J.L.R. Santos and N.I. Morimoto | 92 |
| Formation of Nickel Monosilicide onto (100) Silicon Wafer Surfaces R.W. Reis, S.G. Santos Filho, A.A.M. Laganá, I. Doi and J.W. Swart | 101 |

| | |
|--|-----|
| Formation and Characterization of the Ni(Pt)Si and NiSi for MOS Devices Applications | 109 |
| R.E. Santos, I. Doi, J.A. Diniz, J.W. Swart, and S.G. dos Santos Filho | |
| Mechanical Properties of Silicon Oxide Films Deposited by PECVD-TEOS for Application in MEMS Structures and Sensors | 117 |
| L.C.D. Gonçalves, A.N.R. Silva, C.F. Alfano, J.C. Santos, N.I. Morimoto | |
| MICROTECHNOLOGY | 124 |
| Porous Silicon Sacrificial Layers Applied on Micromechanical Structures Fabrication | 125 |
| M.O.S. Dantas, E. Galeazzo, H.E.M. Peres, F.J.R. Fernandez | |
| Micro-Belt Conveyor of Latex Microspheres | 133 |
| F. Fernández Morales, J.E. Duarte and J. Samitier | |
| LTCC Hybrid Technology Applied to Water Quality Meso Analytical System | 141 |
| M.G. Rubio, M.B.A. Fontes, E.W. Simões, J.J. Santiago-Avilés | |
| Characterization of a Catheter for Intracavitary Cardiac Potential Detection | 151 |
| M.B.A. Fontes and I.A. Cestari | |
| Wet Anisotropic Etching Characterization of Crystalline Silicon for Suspended Micro-Mechanical Structure Manufacture | 157 |
| R.R. Neli, I. Doi, J.A. Diniz, and J.W. Swart | |
| MICRO OPTICS AND PLASMA ETCHING | 167 |
| Characterization of SF ₆ Plasmas by RF Electrical Measurements | 168 |
| M.B. Pisani, P.B. Verdonck | |
| Study of Power Balance in Asymmetric Capacitively Coupled Discharge Plasmas used for Material Processing | 178 |
| S.A. Moshkalyov, C. Reyes-Betanzo and J.W. Swart | |
| Fabrication of PMMA Microlenses using a Micromachined Silicon Mould | 188 |
| G.A. Cirino, A.C. Arruda, R.D. Mansano, P.B. Verdonck, L.G. Neto | |
| Implementation of an Optical Integrated Pressure Sensor and Experimental Results | 196 |
| A.L. Siarkowski, D.A.P. Bulla, N.I. Morimoto | |

| | |
|--|-----|
| DEVICE TECHNOLOGY | 204 |
| Comparison Between 0.13 μm Partially-Depleted Silicon-On-Insulator Technology with Floating Body Operation at 300 K and 90 K M.A. Pavanello, J.A. Martino, A. Mercha, J.M. Rafi, E. Simoen, C. Claeys, H. van Meer and K. De Meyer | 205 |
| Impact of Thermal Budget on Junction Leakage in a 0.18 and 0.13 μm CMOS Technology A. Poyai, E. Simoen, C. Claeys, R. Rooyackers and A. Redolfi | 213 |
| Development of CMOS-APS Technology H.G. Jimenez, S.N.M. Muñoz, M.A. Pavanello, I.F. Silva, J.A. Diniz, M.B. Zakia, I. Doi and J.W. Swart | 223 |
| Polycrystalline Thin Film Transistors as Multipurpose Ambience Sensors H. Mahfoz - Kotb, A.C. Salaün, T. Mohammed-Brahim, F. Le Bihan, O. Bonnaud | 230 |
| PAPERS PRESENTED IN THE POSTER SESSION | 236 |
| Large Signal Dynamic Admittance of PN-Junctions E.J.P. Santos and A.A. Barybin | 237 |
| Numerical Modeling of a Process for Definiton of Features in Low Temperature Co-Fired Ceramics E.W. Simões, I.R.L. García, R. Furlan, J.J. Santiago-Avilés and M.T. Pereira | 244 |
| High-Efficiency Emitter Solar Cells and their Applicability in Industrial Process M. Cid and N. Stem | 253 |
| A Sample-and-Hold Circuit Topology with Offset Voltage and Self Correction for Precise Applications in CMOS L.H.C Ferreira, R.L. Moreno, T.C. Pimenta and C.A. Reis Filho | 263 |
| Characterization of Microactuators by Laser J.E. Duarte, F.H. Fernández and M. Moreno | 271 |
| Compact Spice Macromodel for SAW Based Smart Sensor Design A.M. Barbosa and E.J.P. Santos | 278 |
| Polarization-Difference Imaging Technique for Material Characterization: Algorithm and some Applications H.P. Araújo and S.G. Santos Filho | 285 |
| Deep Anisotropic Etching of Silicon with Smooth Surface for Micromachining Applications S.A. Moshkalyov, C. Reyes-Betanzo and J.W. Swart | 293 |

| | |
|---|-----|
| Very Low Plasma Oxidation Rate for High Quality Ultrathin SiO ₂ Layers J.C. Tinoco and M. Estrada | 302 |
| New Procedure for the Extraction a-Si:H Model Sub-Threshold Parameters L. Reséndiz, M. Estrada, A. Cerdeira, A. Ortiz-Conde and F.J. García Sánchez | 310 |
| Electrical and Physical Characterization of Electroless Nickel Films on Polysilicon Gate Electrodes A.R. Navia and S.G. Santos Filho | 318 |
| Development of a Time-of-Flight Flow Microsensor R.J. Rodrigues and R. Furlan | 328 |
| Diluted HNO ₃ /HF as a Final Pre-Oxidation Cleaning Step for MOS Devices W.A. Nogueira, L.Z. Toquetti, S.G. Santos Filho | 334 |
| Behavior of Graded-Channel Fully Depleted SOI NMOSFET at High Temperatures M. Galetti, M.A. Pavanello, J.A. Martino | 342 |
| Nano-Mechanical Properties of SiLK Low-K Dielectric Material J.C. González, M.I.N. Silva, L. Kuhn, D. Griffis and P.E. Russell | 351 |
| Effect of Stencil Alignment on the Solder Beading in SMT Process F.S. Silva and M.M. Oka | 359 |
| A Novel Silicon-Metal Process for MEMS P.R. Barbaroto, I. Doi, L.O.S. Ferreira | 367 |
| Locos Isolation Made by Silicon Nitride ECR Plasma Deposition at Room Temperature M.A. Pereira, J.A. Diniz, I. Doi, J.W. Swart | 373 |
| Phosphorus Implantation on near Stoichiometric a-SiC:H Films A.R. Oliveira and M.N.P. Carreño | 381 |
| Semiconductor Light Emitting Diodes: an Empirical Study for Uses in Fiber Optic Gyroscopes E.S. Ferreira, N.I. Morimoto and R.T. Carvalho | 389 |
| 3D Topography in Self-Sustained Membranes of SiO _x N _y Obtained by PECVD Technique at Low Temperatures M.N.P. Carreño, A.T. Lopes, M.I. Alayo and I. Pereyra | 397 |
| Improvements in Focused Ion Beam Micro-machining of Interconnect Materials J.C. Gonzalez, M.I.N. Silva, D.P. Griffis, T.T. Miao, and P.E. Russell | 404 |
| Highly Conductive N-Type μ c-Si:H Films Deposited at Very Low Temperature A.M. Nardes, E.A.T. Dirani, A.M. Andrade and F.J. Fonseca | 412 |

| | |
|--|-----|
| Difference Between Kink and Bipolar Parasitic Effects in Thin Film SOI MOSFET P.T. Hoashi and J.A. Martino | 420 |
| Influence of the Back Gate Voltage on the Total Series Resistance of Fully Depleted SOI MOSFETS at 300 K and 77 K A.S. Nicolett, J.A. Martino, E. Simoen and C. Claeys | 430 |
| A Programmable Analog Gaussian Function Synthesizer J.P. Oliveira and N. Oki | 437 |
| Basic Subcircuits with Single-Electron Tunneling Devices J. Guimarães, H.C. Carmo and J.C. Costa | 444 |
| INVITED PAPERS | 454 |
| Technology Challenges Related to Ultimate CMOS and the End-of-Roadmap Microelectronics C.L. Claeys and H.E. Maes | 455 |
| Making High Performance Silicon Devices on Low Temperature Substrates T. Mohammed-Brahim and O. Bonnaud | 471 |
| Author Index | 483 |
| Subject Index | 485 |