

TABLE OF CONTENTS

MODELING

Modeling the Polymer-Electrolyte Fuel-Cell Catalyst Layer - <i>A. Weber and J. Newman</i>	1
Electrochemical Impedance Modeling of the Proton Conducting Membrane in a PEFC - <i>K. Wiezell and G. Lindbergh</i>	13
The Pt/Nafion/Air Triple Phase Boundary: Model, Experiment, and Implications for PEM Fuel Cells - <i>R. O'Hayre, D. Barnett, and F. Prinz</i>	23
Investigating the Influence of Catalyst Layer Morphology on PEM Fuel Cell Performance by Numerical Simulation - <i>U. Beuscher</i>	37
Efficient Numerical Investigation of Fuel Cell Performance under Various Conditions - <i>Q. Liu, Q. Yan, and J. Wu</i>	48
Modeling Formation of Supported catalyst for PEM Fuel Cell Applications - <i>R. Subbaraman, T. Zawodzinski, and J. A. Mann</i>	72
New PEM Fuel Cell Stack Model Considering Reactants Diffusion Effects- <i>S. H. Song, Y. Sha, S.-Y. Choe, and J. H. Jangn</i>	85
Evaluation of Effect of Operating and Shape Condition by Simplified Two-Dimensional PEFC Analysis Model - <i>G. Inoue, Y. Matsukuma, and M. Minemoto</i>	93
A Simulation of Polymer Electrolyte Fuel Cells with Co-Flow / Counter-Flow Pattern under Dry Condition - <i>Y. Tago, K. Suzuki, M. Yoneda, G. Kobayashi, and M. Takimoto</i>	106
Modeling of Single Catalyst Particle in Cathode of PEM Fuel Cells - <i>Q. Yan, J. Wu, and Q. Liu</i>	115

CATALYSIS

Temperature-Dependence of Oxygen Reduction Reaction Activity at Platinum Alloy Electrocatalysts - <i>N. Wakabayashi, M. Takeichi, H. Uchida, and M. Watanabe</i>	124
Transition Metal Oxynitrides for New Cathode of Polymer Electrolyte Fuel Cell - <i>A. Ishihara, K. Lee, S. Doi, S. Mitsushima, N. Kamiya, and K.-I. Ota</i>	129
The Oxygen Reduction Activity and Surface Structure of Co Tetraphenylporphyrin Supported on Carbon Black - <i>K. Hiroshima, T. Asaoka, T. Nonaka, Y. Senoo, and Y. Morimoto</i>	140

Evaluation of Oxygen Electroreduction on Metal Oxide-supported Platinum Catalysts - <i>Y. Suzuki, T. Nakagawa, A. Ishihara, S. Mitsushima, N. Kamiya, and K.-I. Ota</i>	148
Nanostructuring of PEFC Electrode Catalysts Using Carbon Nanofibers - <i>K. Sasaki, K. Shinya, S. Tanaka, A. Furukawa, K. Ando, T. Kuroki, H. Kusaba, and Y. Teraoka</i>	159
MEA for PEMFC Prepared by Sputter Deposition in Low Pressure Air and Transfer Method - <i>T. Nakakubo, M. Shibata, and K. Yasuda</i>	171
Design Considerations for Measuring the Kinetic Parameters of Electrocatalysts in an Operating Fuel Cell - <i>K. W. Lux and E. J. Cairns</i>	181
Platinum and Non-Platinum-Metal Tin Oxide Supported Catalysts for PEMFC Cathodes - <i>W. S. Baker, P. J. Bouwman, M. E. Telska W. Dmowski, and K. E. Swider-Lyons</i>	199
PtMo Catalysts for Ultra High CO PEMFC Applications - <i>S. Ball, B. Theobald, and D. Thompsett</i>	206
Transition Metal Carbides for New Cathode Material of Polymer Electrolyte Fuel Cell - <i>K. Lee, A. Ishihara, S. Mitsushima, N. Kamiya, and K.-I. Ota</i>	213
Increased Poisoning Tolerance of Pt- <i>FEPO</i> Oxygen-Reduction Catalysts - <i>P. J. Bouwman, M. E. Teliska, and K. Swider-Lyons</i>	222
Preparation of CO-tolerant Pt and Pd Anodes Modified with SnO ₂ Nanoparticles for PEFC - <i>Y. Anzai, T. Takeguchi, W. Ueda, R. Kikuchi, and K. Eguchi</i>	227
Effect of Agglomeration of Pt/C Catalyst on Hydrogen Peroxide Formation - <i>H. Yamada, J. Tokunaga, M. Inaba, and A. Tasaka</i>	235

MEMBRANES

The Use of Heteropoly Acids in Composite Membranes for Elevated Temperature PEM Fuel Cell Operation: Lessons Learnt from Three Different Approaches. - <i>A. M. Herring, J. A. Turner, S. F. Dec, M. A. Sweikart, J. L. Malers, F. Meng, F. J. Pern, J. Horan, and D. Vernon</i>	242
Preparation of Composite Membrane with Three-Dimensionally Ordered Polyimide Matrix and Proton Conductive Gel Polymer - <i>H. Munakata, D. Yamamoto, K. Dokko, J.-I. Hamagami, T. Takei, and K. Kanamura</i>	252
Fullerene Additives for Proton Exchange Membranes in Dry and High Temperature Operation of PEFC- <i>K. Tasaki, A. Venkatesan, P. Pugazhendi, and R. Loutfy</i>	259

Investigation of Ion and Water Transport Mechanisms in Perfluorosulfonated Ionomer Membranes for Fuel Cells - <i>M. Saito, K. Hayamizu, and T. Okada</i>	267
Substituted Imidazoles as Proton Transport Facilitators in Fuel Cell Membranes - <i>H. A. Every and T. A. Zawodzinski</i>	277
Improvement of Surface Proton Conductivity for Three-Dimensionally Ordered Macroporous Silica Membrane - <i>H. Munakata, H. Chiba, K. Dokko, J.-I. Hamagami, T. Takei, and K. Kanamura</i>	287
Direct Copolymerization of Sulfonated Poly(arylene ether benzimidazole) Copolymers for Proton Exchange Membrane Fuel Cells - <i>B. R. Einsla, M. L. Hill, W. L. Harrison, C. N. Tchatchoua, and J. E. McGrath</i>	295
Thermal Studies of the State of Water in Proton Conducting Fuel Cell Membranes - <i>T. L. Kalapos, H. A. Every, and T. A. Zawodzinski</i>	307
Microstructure and Conductivity of Nano-Composite Proton Conducting Membrane for Electrode-Supported Intermediate Temperature Fuel Cells - <i>J. Otomo, S. Wang, H. Takahashi, and H. Nagamoto</i>	318
Direct Methanol Fuel Cell Using Sulfonated Phenol Polymer Membrane and Carbonized Silk Cloth - <i>T. Koyama, S. Yokoyama, T. Kizaki, M. Ichikawa, and Y. Taniguchi</i>	327

DURABILITY

Durability of Asahi Kasei Aciplex Membrane for PEM Fuel Cell Application - <i>N. Miyake, M. Wakizoe, E. Honda, and T. Ohta</i>	333
Durability Issues at the Polymer Electrolyte Membrane and the Electrocatalyst Interface with Non-fluorinated Ionomers - <i>L. Zhang, V. S. Murthy, and S. Mukerjee</i>	343
Novel Process for Improved Long-Term Stability of DMFC Membrane-Electrode Assemblies - <i>C. Hamon, G. Purdy, Y. S. Kim, B. Pivovar, and P. Zelenay</i>	352
Degradation Study of MEA for PEMFC under Low Humidity Conditions - <i>E. Endoh, S. Honmura, S. Terazono, H. Widjaja, and Y. Takimoto</i>	363
Hydrogen Peroxide Formation as a Degradation Factor of Polymer Electrolyte Fuel Cells - <i>M. Inaba, H. Yamada, J. Tokunaga, M. Kiriake, A. Tasaka, T. Kinumoto, and Z. Ogumi</i>	370
The CO-Air Bleed Interaction and Its Impact on Durability - <i>M. Murthy and D. Moore</i>	380

Mechanism of Pinhole Formation in Membrane Electrode Assemblies for PEM Fuel Cells - *V. Stanic and M. Hoberecht*391

Characterization of Catalysts and Membrane in DMFC Lifetime Testing - *X. Cheng, C. Peng, L. Chen, Y. Zhang, and Q. Fan*.....402

GAS DIFFUSION MEDIA

Effect of Morphological and Wetting Characteristics of the Gas Diffusion Layers on Electrode Flooding Level in a PEM Fuel Cell - *T. V. Nguyen and G. Lin*412

Using AC Impedance to Characterize Gas Diffusion Media in PEM Fuel Cells - *W. Liu, D. Moore, and M. Murthy*417

Investigation of GDM Flooding Effects on PEMFC Performance - *S. Shimpalee, J. Van Zee, and U. Beuscher*.....430

Characterization of Transport Properties in Gas Diffusion Layers for PEMFCs - *M. J. Bluemle, V. Gurau, J. A. Mann, T. A. Zawodzinski, E. S. De Castro, and Y. M. Tsou*442

DIAGNOSTICS & MEASUREMENT TECHNIQUES

Characterization of Membrane Surface Ionic Activity and Its Effect on the Performance of a PEM Fuel Cell - *T. V. Nguyen, M. V. Nguyen, and G. Lin*.....451

Electrochemical Impedance Spectroscopy of PEM Fuel Cells at Elevated Temperature and Various Relative Humidities - *H. Xu, Y. Song, H. R. Kunz, and J. M. Fenton*457

Evaluation Technique of a Polymer Electrolyte Fuel Cell using 1 cm² Cell - *H. Murata, T. Hatanaka, and Y. Morimoto*467

System Control and Efficiency Measurements for a Portable High Temperature PEM Fuel Cell System with Onboard Fuel Processor. - *R. Koripella, A. Fisher, S. Rogers, and S. Samms*474

Combinatorial Tools for Alloy-Based Electrocatalyst Discovery - *T. He, E. Kreidler, L. Minor, and T. Nomura*485

In-Situ Detection of Hydrogen Peroxide in PEM Fuel Cells - *W. Liu and D. Zuckerbrod*.....492

Peroxide Production and Detection in Polymer Films - *M. C. Pelsozy, J. Wainright and T. A. Zawodzinski*.....503

Hydrogen Peroxide Formation during Oxygen Reduction on High Surface Area Pt/C Catalysts - <i>A. S. Agarwal, U. Landau, and T. Zawodzinski</i>	515
Direct Measurement of iR-Free Individual-Electrode Overpotentials in PEFC - <i>P. Piela, T. E. Springer, M. S. Wilson, J. Davey, and P. Zelenay</i>	537
Distributed Performance of Polymer Electrolyte Fuel Cells under Low Humidity Operating Conditions - <i>Q. Dong, D. Shields, M. M. Mench, S. Cleghorn, and U. Beuscher</i>	551
Measurement of Current and Temperature Distribution in a PEMFC - <i>Z. Siroma, A. Nishikawa, R. Kitayama, S. Koge, and K. Yasuda</i>	565
Impedance Analysis of PEMFC in the Presence of Carbon Monoxide - <i>C.-H. Hsueh and M.-C. Yang</i>	574
Visualization of Water Droplets in the Cathode Flow Field of PEFC - <i>T. Murahashi, K. Hayashi, H. Kobayashi, and E. Nishiyama</i>	587
Electrochemical Detection of Methanol Electrooxidation Product Generated at Pt/C Micropowders by Using a Porous /Disk-Dual Microelectrode - <i>K. Kashima, M. Umeda, A. Yamada, and I. Uchida</i>	592

STACKS/SYSTEMS

Fractal Flow Fields: A New Design of Gas Flow Channels in Polymer Electrolyte Fuel Cells - <i>T. Okada, K. Ishida, M. Takimoto, and M. Ishida</i>	597
Analysis of Water Transport in PEFC by MRI Measurement - <i>K. Teranishi, K. Nishida, S. Tsushima, and S. Hirai</i>	606
Study of Flow Field Design for Improving PEMFC Performance - <i>W.-k. Lee, S. Shimpalee, J. W. Van Zee, Y. Goo, S.K. Jeoung, and S.E. Yoo</i>	615
Development of 1 kW Class PEFC Stack System with Variable Gas Flow Channel - <i>S. Mizutani, S. Hitomi, H. Yasuda, and M. Yamachi</i>	625
Optimizing PEFC Stack Design and Operation for Energy and Water Balance in Transportation Systems - <i>M. L. Perry and R. M. Darling</i>	634
Development of a Micro Tubular DMFC Fabricated by Plating Technique - <i>H. Qiao, T. Kasajima, M. Kunimatsu, and T. Okada</i>	647

PERFORMANCE

Influence of Ionomer Content on the Structure and Performance of PEFC Membrane Electrode Assemblies - <i>J. Xie, D. L. Wood, K. L. More, T. A. Zawodzinski, and W. H. Smith</i>	657
Influence of Electrolyte and Electrode Composition on the Performance of Polymer Electrolyte Fuel Cells Based on Sulfonated PEKK - <i>V. Ramani, H. R. Kunz, and J. M. Fenton</i>	672
Stable Performance of PEFC in a Closed Environment Without Humidification - <i>Y. Sone, M. Ueno, H. Naito, and S. Kuwajima</i>	684
Performance of Polymer Electrolyte Membrane Fuel Cell with Pressurization up to 4.0 MPa - <i>S. Tsushima, T. Mibae, K. Teranishi, and S. Hirai</i>	694
Anode Pressurization of PEM Fuel Cells at Elevated Temperatures - <i>H. Xu, H. R. Kunz, and J. M. Fenton</i>	701
Impact of Membrane-Electrode Assembly Fabrication Technique on PEM Fuel Cell Performance - <i>V. Mittal, R. Zaffou, H. R. Kunz, and J. M. Fenton</i>	711
Transient Response of a Proton Exchange Membrane Fuel Cell - <i>H. Weydahl, S. Møller-Holst, and G. Hagen</i>	723
An Analysis on Operating Conditions of PEMFC to Minimize External Humidification of Gases - <i>J. H. Jang, S. H. Song, and S.-Y. Choe</i>	732
Impedance Analysis on the Transient Behavior of DMFC Anode during Pre-Conditioning Period- <i>J.-H. Kim, H.-I. Lee, and H. Y. Ha</i>	740
Electrochemical Characteristics of Direct Dimethyl Ether Fuel Cells - <i>S. Ueda, M. Eguchi, K. Uno, and Y. Tsutsumi</i>	754
Photocatalytic Deposition of Pt on Polyaniline Network and Its Application to Fuel Cells - <i>H. Nakano, S. Arimoto, Y. Tachibana, and S. Kuwabata</i>	762
AUTHOR INDEX.....	763